DIN EN 997:2012-05 (E)

WC pans and WC suites with integral trap

Contents

Page

Foreword 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 7

4 Classification 10

5 Functional requirements and test methods for class 1 products 10
5.1 Depth of water seal 10
5.2 Flushing requirements 10
5.2.1 General 10
5.2.2 Wash of bowl 11
5.2.3 Flushing of toilet paper 11
5.2.4 Flushing of fifty small plastic balls 11
5.2.5 Oversplashing 11
5.2.6 After-flush volume 11
5.3 Water absorption 11
5.4 Static load 11
5.5 Additional requirements of flushing cisterns for close-coupled suites and one-piece WCs 12
5.5.1 General 12
5.5.2 Inlet valve of the flushing cistern 12
5.5.3 Supply piping 12
5.5.4 Flush volume(s) of the flushing cistern 12
5.5.5 Leaktightness between flushing cistern and bowl 12
5.5.6 Outlet valve leaktightness 12
5.5.7 Outlet valve reliability 12
5.5.8 Overflow 12
5.5.9 Safety margin - dimension "c" 13
5.5.10 Safety margin - dimension "a" 14
5.6 Durability 14
5.7 Test methods 14
5.7.1 Depth of water seal 14
5.7.2 Flushing tests 14
5.7.3 Determination of water absorption 17
5.7.4 Load test 19
5.7.5 Tests for flushing cisterns of close-coupled suites and one-piece WCs 19
5.8 Types of independent WC pans, close-coupled suites and one-piece WCs 22
5.8.1 Nominal flush volume 22
5.8.2 Flushing devices 22
5.8.3 Verification of types 23

6 Functional requirements and test methods for class 2 products 23
6.1 Inlet valve 23
6.2 Backflow prevention 23
6.3 Marking of flushing cistern 23
6.4 Warning pipe and overflow provision 23
6.5 Flush volume 24
6.5.1 Full flush 24

6.5.2 Reduced flush ... 24
6.6 Flush rate ... 24
6.7 Physical endurance and leakage of flushing device ... 24
6.8 Chemical endurance of flushing device ... 24
6.9 Solids discharge and after-flush volume for maximum flush ... 24
6.10 Paper discharge for reduced-flush volume ... 24
6.11 Liquid contaminant dye retention ... 25
6.12 Wash of bowl ... 25
6.13 Depth of water seal ... 25
6.14 Static load of class 2 products ... 25
6.15 Water absorption ... 25
6.16 Durability of class 2 products ... 25
6.17 Test methods ... 25
6.17.1 Inlet valve tests ... 25
6.17.2 Warning pipe and overflow provisions ... 26
6.17.3 Flush volume and water trap seal tests ... 26
6.17.4 Flush rate test ... 27
6.17.5 Physical endurance and leakage test of flushing device ... 28
6.17.6 Chemical endurance test of flushing device ... 29
6.17.7 Solids discharge and after-flush volume for maximum flush volume test ... 29
6.17.8 Paper discharge for reduced-flush volume test ... 30
6.17.9 Liquid contaminant dye retention test ... 31
6.17.10 Wash of bowl ... 32
6.17.11 Summary of requirements for compatibility testing of class 2 products ... 32

7 Marking ... 33

8 Evaluation of conformity ... 35
8.1 General ... 35
8.2 Type testing ... 35
8.2.1 Initial type testing ... 35
8.2.2 Further type testing ... 35
8.2.3 Sample, testing and compliance criteria ... 35
8.3 Factory Production Control (FPC) ... 37
8.3.1 General ... 37
8.3.2 Testing equipment ... 37
8.3.3 Raw materials and components ... 38
8.3.4 Product testing and assessment ... 38
8.3.5 Non-conforming products ... 38

Annex A (normative) Valve-type test flushing cistern ... 39

A.1 Valve-type test flushing cistern (Figures A.1 to A.3) ... 39
A.2 Calibration of the valve-type test flushing cistern ... 41
A.3 Procedure to test the flush rate of the test flushing cistern ... 41
A.4 Procedure to test the flushing requirements of the WC ... 42
A.5 Procedure to measure the impact force of the test flushing cistern ... 42
A.5.1 General ... 42
A.5.2 Test device ... 42
A.5.3 Procedure for calibrating the load cell unit and the measurement amplifier ... 44
A.5.4 Measurement procedure ... 44
A.5.5 Calculation procedure for fixed time frame 0,35 s to 0,5 s ... 45
A.5.6 Calculation procedure for maximum impact force ... 45

Annex B (normative) Test rig for test pressure flush valve ... 46

B.1 Test rig (Figure B.1) ... 46
B.2 Procedure to measure the impact force ... 47

Annex C (normative) Test rig for after-flush volume test ... 49

C.1 Test rig for after-flush volume test for independent WC pans (Figures C.1 and C.2) ... 49

C.2 Test rig for after-flush volume test for one-piece WC pans, close-coupled suites and WC suites (Figure C.3) 50

Annex D (normative) Basket method 51

Annex E (normative) Preparation of test specimens 52

Annex F (informative) Examples of flush pipes and outlet valves for test flushing cisterns 54

Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU of EU Construction Products Directive 58

ZA.1 Scope and relevant characteristics 58

ZA.2 Procedure for attestation of conformity of independent WC pans, WC suites and one- piece WC pans 60

ZA.2.1 System of attestation of conformity 60

ZA.2.2 Declaration of conformity 60

ZA.3 CE marking 61

Bibliography 62