

DIN EN 1991-2:2010-12 (E)

Eurocode 1: Actions on structures - Part 2: Traffic loads on bridges (includes
Corrigendum AC:2010)

Contents	Page
FOREWORD	7
BACKGROUND OF THE EUROCODE PROGRAMME	7
STATUS AND FIELD OF APPLICATION OF EUROCODES	8
NATIONAL STANDARDS IMPLEMENTING EUROCODES	9
LINKS BETWEEN EUROCODES AND HARMONISED TECHNICAL SPECIFICATIONS (ENS AND ETAS) FOR PRODUCTS	9
SECTION 1 GENERAL	15
1.1 SCOPE	15
1.2 NORMATIVE REFERENCES	16
1.3 DISTINCTION BETWEEN PRINCIPLES AND APPLICATION RULES	16
1.4 TERMS AND DEFINITIONS	17
1.4.1 Harmonised terms and common definitions	17
1.4.2 Terms and definitions specifically for road bridges	19
1.4.3 Terms and definitions specifically for railway bridges	20
1.5 SYMBOLS	21
1.5.1 Common symbols	21
1.5.2 Symbols specifically for sections 4 and 5	21
1.5.3 Symbols specifically for section 6	23
SECTION 2 CLASSIFICATION OF ACTIONS	27
2.1 GENERAL	27
2.2 VARIABLE ACTIONS	27
2.3 ACTIONS FOR ACCIDENTAL DESIGN SITUATIONS	28
SECTION 3 DESIGN SITUATIONS	30
SECTION 4 ROAD TRAFFIC ACTIONS AND OTHER ACTIONS SPECIFICALLY FOR ROAD BRIDGES	31
4.1 FIELD OF APPLICATION	31
4.2 REPRESENTATION OF ACTIONS	31
4.2.1 Models of road traffic loads	31
4.2.2 Loading classes	32
4.2.3 Divisions of the carriageway into notional lanes	32
4.2.4 Location and numbering of the lanes for design	33
4.2.5 Application of the load models on the individual lanes	34
4.3 VERTICAL LOADS - CHARACTERISTIC VALUES	35
4.3.1 General and associated design situations	35
4.3.2 Load Model 1	35
4.3.3 Load Model 2	38
4.3.4 Load Model 3 (special vehicles)	39
4.3.5 Load Model 4 (crowd loading)	39
4.3.6 Dispersal of concentrated loads	40
4.4 HORIZONTAL FORCES - CHARACTERISTIC VALUES	41

4.4.1	Braking and acceleration forces	41
4.4.2	Centrifugal and other transverse forces	42
4.5	GROUPS OF TRAFFIC LOADS ON ROAD BRIDGES	42
4.5.1	Characteristic values of the multi-component action	42
4.5.2	Other representative values of the multi-component action	44
4.5.3	Groups of loads in transient design situations	44
4.6	FATIGUE LOAD MODELS	45
4.6.1	General	45
4.6.2	Fatigue Load Model 1 (similar to LM1)	48
4.6.3	Fatigue Load Model 2 (set of "frequent" lorries)	48
4.6.4	Fatigue Load Model 3 (single vehicle model)	49
4.6.5	Fatigue Load Model 4 (set of "standard" lorries)	50
4.6.6	Fatigue Load Model 5 (based on recorded road traffic data)	53
4.7	ACTIONS FOR ACCIDENTAL DESIGN SITUATIONS	53
4.7.1	General	53
4.7.2	Collision forces from vehicles under the bridge	53
4.7.2.1	Collision forces on piers and other supporting members	53
4.7.2.2	Collision forces on decks	53
4.7.3	Actions from vehicles on the bridge	54
4.7.3.1	Vehicle on footways and cycle tracks on road bridges	54
4.7.3.2	Collision forces on kerbs	55
4.7.3.3	Collision forces on vehicle restraint systems	55
4.7.3.4	Collision forces on structural members	56
4.8	ACTIONS ON PEDESTRIAN PARAPETS	56
4.9	LOAD MODELS FOR ABUTMENTS AND WALLS ADJACENT TO BRIDGES	57
4.9.1	Vertical loads	57
4.9.2	Horizontal force	57
SECTION 5 ACTIONS ON FOOTWAYS, CYCLE TRACKS AND FOOTBRIDGES		59
5.1	FIELD OF APPLICATION	59
5.2	REPRESENTATION OF ACTIONS	59
5.2.1	Models of the loads	59
5.2.2	Loading classes	60
5.2.3	Application of the load models	60
5.3	STATIC MODELS FOR VERTICAL LOADS - CHARACTERISTIC VALUES	60
5.3.1	General	60
5.3.2	Load Models	61
5.3.2.1	Uniformly distributed load	61
5.3.2.2	Concentrated load	61
5.3.2.3	Service vehicle	62
5.4	STATIC MODEL FOR HORIZONTAL FORCES - CHARACTERISTIC VALUES	62
5.5	GROUPS OF TRAFFIC LOADS ON FOOTBRIDGES	62
5.6	ACTIONS FOR ACCIDENTAL DESIGN SITUATIONS FOR FOOTBRIDGES	63
5.6.1	General	63
5.6.2	Collision forces from road vehicles under the bridge	63
5.6.2.1	Collision forces on piers	63
5.6.2.2	Collision forces on decks	64
5.6.3	Accidental presence of vehicles on the bridge	64
5.7	DYNAMIC MODELS OF PEDESTRIAN LOADS	65
5.8	ACTIONS ON PARAPETS	65
5.9	LOAD MODEL FOR ABUTMENTS AND WALLS ADJACENT TO BRIDGES	65
SECTION 6 RAIL TRAFFIC ACTIONS AND OTHER ACTIONS SPECIFICALLY FOR RAILWAY BRIDGES		66
6.1	FIELD OF APPLICATION	66
6.2	REPRESENTATION OF ACTIONS - NATURE OF RAIL TRAFFIC LOADS	67
6.3	VERTICAL LOADS - CHARACTERISTIC VALUES (STATIC EFFECTS) AND ECCENTRICITY AND DISTRIBUTION OF LOADING	67
6.3.1	General	67
6.3.2	Load Model 71	67

6.3.3	Load Models SW/0 and SW/2	68
6.3.4	Load Model "unloaded train"	69
6.3.5	Eccentricity of vertical loads (Load Models 71 and SW/0)	69
6.3.6	Distribution of axle loads by the rails, sleepers and ballast	70
6.3.6.1	Longitudinal distribution of a point force or wheel load by the rail	70
6.3.6.2	Longitudinal distribution of load by sleepers and ballast	71
6.3.6.3	Transverse distribution of actions by the sleepers and ballast	71
6.3.6.4	Equivalent vertical loading for earthworks and earth pressure effects	73
6.3.7	Actions for non-public footpaths	74
6.4	DYNAMIC EFFECTS (INCLUDING RESONANCE)	74
6.4.1	Introduction	74
6.4.2	Factors influencing dynamic behaviour	74
6.4.3	General design rules	75
6.4.4	Requirement for a static or dynamic analysis	75
6.4.5	Dynamic factor (2, 3)	78
6.4.5.1	Field of application	78
6.4.5.2	Definition of the dynamic factor	78
6.4.5.3	Determinant length L	79
6.4.5.4	Reduced dynamic effects	82
6.4.6	Requirements for a dynamic analysis	83
6.4.6.1	Loading and load combinations	83
6.4.6.2	Speeds to be considered	87
6.4.6.3	Bridge parameters	88
6.4.6.4	Modelling the excitation and dynamic behaviour of the structure	89
6.4.6.5	Verifications of the limit states	91
6.4.6.6	Additional verification for fatigue where dynamic analysis is required.92	6.5
	HORIZONTAL FORCES - CHARACTERISTIC VALUES	93
6.5.1	Centrifugal forces	93
6.5.2	Nosing force	97
6.5.3	Actions due to traction and braking	97
6.5.4	Combined response of structure and track to variable actions	98
6.5.4.1	General principles	98
6.5.4.2	Parameters affecting the combined response of the structure and track .99	6.5.4.3
	Actions to be considered	101
6.5.4.4	Modelling and calculation of the combined track/structure system	102
6.5.4.5	Design criteria	104
6.5.4.6	Calculation methods	105
6.6	AERODYNAMIC ACTIONS FROM PASSING TRAINS	108
6.6.1	General	108
6.6.2	Simple vertical surfaces parallel to the track (e.g. noise barriers)	109
6.6.3	Simple horizontal surfaces above the track (e.g. overhead protective structures)	110
6.6.4	Simple horizontal surfaces adjacent to the track (e.g. platform canopies with no vertical wall)	111
6.6.5	Multiple-surface structures alongside the track with vertical and horizontal or inclined surfaces (e.g. bent noise barriers, platform canopies with vertical walls etc.)	112
6.6.6	Surfaces enclosing the structure gauge of the tracks over a limited length (up to 20 m) (horizontal surface above the tracks and at least one vertical wall, e.g. scaffolding, temporary constructions)	112
6.7	DERAILMENT AND OTHER ACTIONS FOR RAILWAY BRIDGES	113
6.7.1	Derailment actions from rail traffic on a railway bridge	113
6.7.2	Derailment under or adjacent to a structure and other actions for Accidental Design Situations	115
6.7.3	Other actions	115
6.8	APPLICATION OF TRAFFIC LOADS ON RAILWAY BRIDGES	115
6.8.1	General	115
6.8.2	Groups of Loads - Characteristic values of the multicomponent action	118
6.8.3	Groups of Loads - Other representative values of the multicomponent actions	120
6.8.3.1	Frequent values of the multicomponent actions	120
6.8.3.2	Quasi-permanent values of the multicomponent actions	121
6.8.4	Traffic loads in Transient Design Situations	121
6.9	TRAFFIC LOADS FOR FATIGUE	121

ANNEX A (INFORMATIVE) MODELS OF SPECIAL VEHICLES FOR ROAD BRIDGES	123
A.1 SCOPE AND FIELD OF APPLICATION	123
A.2 BASIC MODELS OF SPECIAL VEHICLES	123
A.3 APPLICATION OF SPECIAL VEHICLE LOAD MODELS ON THE CARRIAGEWAY	125
ANNEX B (INFORMATIVE) FATIGUE LIFE ASSESSMENT FOR ROAD BRIDGES ASSESSMENT METHOD BASED ON RECORDED TRAFFIC	128
ANNEX C (NORMATIVE) DYNAMIC FACTORS 1 + FOR REAL TRAINS	132
ANNEX D (NORMATIVE) BASIS FOR THE FATIGUE ASSESSMENT OF RAILWAY STRUCTURES ...	134
D.1 ASSUMPTIONS FOR FATIGUE ACTIONS	134
D.2 GENERAL DESIGN METHOD	135
D.3 TRAIN TYPES FOR FATIGUE	135
ANNEX E (INFORMATIVE) LIMITS OF VALIDITY OF LOAD MODEL HSLM AND THE SELECTION OF THE CRITICAL UNIVERSAL TRAIN FROM HSLM-A	141
E.1 LIMITS OF VALIDITY OF LOAD MODEL HSLM	141
E.2 SELECTION OF A UNIVERSAL TRAIN FROM HSLM-A	142
ANNEX F (INFORMATIVE) CRITERIA TO BE SATISFIED IF A DYNAMIC ANALYSIS IS NOT REQUIRED	150
ANNEX G (INFORMATIVE) METHOD FOR DETERMINING THE COMBINED RESPONSE OF A STRUCTURE AND TRACK TO VARIABLE ACTIONS	155
G.1 INTRODUCTION	155
G.2 LIMITS OF VALIDITY OF CALCULATION METHOD	155
G.3 STRUCTURES CONSISTING OF A SINGLE BRIDGE DECK	156
G.4 STRUCTURES CONSISTING OF A SUCCESSION OF DECKS	162
ANNEX H (INFORMATIVE) LOAD MODELS FOR RAIL TRAFFIC LOADS IN TRANSIENT DESIGN SITUATIONS	164