

DIN EN 13749:2011-06 (E)

Railway applications - Wheelsets and bogies - Method of specifying the structural requirements of bogie frames

Contents	Page
Foreword	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Technical specification	7
4.1 Scope	7
4.2 General requirements	7
4.3 Design load cases	7
4.4 Vehicle conditions and interfaces	7
4.5 Particular requirements	8
5 Verification of the design data	8
6 Validation and acceptance of the design	8
6.1 General	8
6.2 The validation plan	8
6.2.1 Content	8
6.2.2 Structural analysis	10
6.2.3 Static tests	10
6.2.4 Fatigue tests	11
6.2.5 Track tests	11
7 Quality requirements	12
Annex A (informative) Symbols and units used in the informative annexes	13
A.1 Forces	13
A.2 Accelerations	13
A.3 Masses	14
A.4 Other symbols and units	14
A.5 Co-ordinate system	14
A.6 Bogie classification	16
Annex B (informative) Load cases	17
Annex C (informative) Loads due to bogie running	19
C.1 General	19
C.2 Examples of loads for bogies of passenger rolling stock - categories B-I and B-II	20
C.2.1 Exceptional loads	20
C.2.2 Normal service loads	21
C.3 Examples of loads for freight bogies with a central pivot and two sidebearers - category B-V	21
C.3.1 Bogie types	21
C.3.2 Relationship of vertical forces	21
C.3.3 Exceptional loads	22
C.3.4 Normal service loads	23

C.4	Examples of loads for bogies of locomotives (with two bogies) - category B-VII	23
C.4.1	Exceptional loads	23
C.4.2	Normal service loads	24
C.5	Examples of loads for bogies of metro, rapid transit, light rail vehicles and trams - categories B-III and B-IV	25
C.5.1	Application	25
C.5.2	Load cases	25
C.5.3	General expressions for the basic load cases	26
Annex D (informative) Loads due to components attached to the bogie frame		27
D.1	General	27
D.2	Component inertia loads	27
D.2.1	Derivation	27
D.2.2	Design accelerations for equipment attached to the bogie frame	28
D.2.3	Design accelerations for equipment attached to the axlebox	28
D.3	Loads resulting from viscous dampers	28
D.4	Loads resulting from braking	29
D.5	Loads resulting from traction motors	29
D.6	Forces applied on anti-roll systems	29
Annex E (informative) Analysis methods and acceptance criteria		30
E.1	General	30
E.2	Loads	30
E.3	Analysis and acceptance	30
E.4	Structural acceptance criteria	30
E.4.1	Principle	30
E.4.2	Utilisation	31
E.4.3	Safety factor	31
E.4.4	Material strength	32
E.4.4.1	Requirement	32
E.4.4.2	Static strength	33
E.4.4.3	Fatigue strength	34
E.4.4.4	Stiffness criteria	36
Annex F (informative) Examples of static test programmes		37
F.1	General	37
F.2	Static test programme for bogies of passenger rolling stock with body supported directly to the sideframes (categories B-I and B-II)	38
F.2.1	Tests under exceptional loads	38
F.2.2	Tests under normal service loads	38
F.3	Static test programme for bogies with central pivot and two sidebearers (category B-V) ..	40
F.3.1	Bogie types	40
F.3.2	Tests under exceptional loads	40
F.3.3	Tests under normal service loads	40
F.4	Static test programme for bogies of locomotives	42
F.5	Static test programme for bogies of light rail vehicles and trams	42
F.5.1	General	42
F.5.2	Tests under exceptional loads	42
F.5.3	Tests under normal service loads	43
Annex G (informative) Examples of fatigue test programmes		44
G.1	General	44
G.2	Fatigue test programme for bogies with the body supported directly on the sideframes (categories B-I and B-II)	45
G.3	Fatigue test programme for a freight bogie with a central pivot and two sidebearers (category B-V)	48
G.3.1	General	48
G.3.2	Vertical loads	48

G.3.3	Transverse loads	48
G.4	Fatigue test programme for locomotive bogies (category B-VII)	50
G.5	Fatigue test programme for bogies of light rail vehicles and trams (category B-IV)	50
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57/EC		51
Bibliography		53