

DIN EN 15316-4-2:2017-09 (E)

Energy performance of buildings - Method for calculation of system energy requirements and system efficiencies - Part 4-2: Space heating generation systems, heat pump systems, Module M3-8-2, M8-8-2

Contents

Page

European foreword	4
Introduction	5
1 Scope	6
2 Normative references	9
3 Terms and definitions	9
4 Symbols and abbreviations	13
4.1 Symbols	13
4.2 Subscripts	13
5 Description of the methods	14
5.1 General	14
5.2 Multiple heat generators	14
5.3 System boundary	15
5.3.1 General	15
5.3.2 Physical factors taken into account:	15
5.4 Schematisation of the heat pump for heating	15
5.5 Energy input needed to meet the heat requirements for heat pumps system	16
5.6 Auxiliary energy (WHW;gen;aux)	18
5.7 Recoverable, recovered and unrecoverable heat losses	18
5.8 Calculation by zones	18
5.9 Combined heating and domestic hot water preparation	19
6 Generation with heat pump systems - Energy calculation (hourly, bin) - Method A	19
6.1 Output data	19
6.2 Input data	20
6.3 Multiple heat generators	26
6.4 Calculation time steps	26
6.5 Flow chart	26
6.6 Energy requirements for space heating and DHW mode for the time step considered	27
6.7 COP and energy used for heating, storage and domestic hot water	28
6.8 Auxiliary energy (WH;gen;aux)	39
6.9 Energy used from the heat source	39
6.10 Calculation of back-up heater	40
6.11 Total losses and total recoverable heat losses of the generation subsystem	40
7 Method B - Monthly and annual energy calculation method	43
7.1 Calculation time steps	43
7.2 Output data	43
7.3 Principle of the calculation method B	43
7.4 Additional input Data	44
7.5 Construction of the bins - Step 1	46
7.6 Determination of energy requirement of the single bins - Step 2	50
7.7 Determination of thermal performance of the heat pump (step 3)	52
7.8 Determination of back-up energy of the single bins (step 4)	53

7.9	Calculation of auxiliary energy input (step 5)	53
7.10	Calculation of recoverable generation subsystem losses (step 6)	53
7.11	Calculation of the energy from the heat source (step 7)	54
7.12	Calculation of the total driving energy input to cover the requirements (step 8)	54
8	Quality control	54
8.1	Hourly, bin or monthly method	54
8.2	Main sources of errors	55
9	Compliance check	55
Annex A (normative) Template for input data		56
A.1	Heat pump description data	56
A.2	System design data	60
A.3	Operating conditions	62
Annex B (informative) Default values		64
B.1	Heat pump description data	64
B.2	System design data	68
B.3	- Operating conditions	70
Annex C (informative) Tables of COP and energy at full load		72
C.1	General	72
C.2	Air - Water electrically driven heat pumps	72
C.3	COP and energy for exhaust air/ water electrically driven heat pump	73
C.4	COP and energy for water or brine/ water electrically driven heat pump	74
C.5	Air/water combustion-engine driven heat pumps	75
Annex D (normative) Adaptation of the COP to different conditions of temperature conditions		77
D.1	Principle	77
D.2	Application to electrically-driven heat pump	78
D.3	Application to thermally-driven heat pumps	78
D.4	Correction of COP with adaptation to the operational temperature spread	79
D.5	Tests results form EN 14825	82
D.6	Input data for the calculation of COP and capacity at operating conditions	82
Bibliography		84