

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols and abbreviated terms
5	Overview
6	Technical model and terminology
7	Re-identification
7.1	General
7.2	Re-identification attacks
8	Usefulness of de-identified data
9	De-identification techniques
9.1	Statistical tools
9.1.1	General
9.1.2	Sampling
9.1.3	Aggregation
9.2	Cryptographic tools
9.2.1	General
9.2.2	Deterministic encryption
9.2.3	Order-preserving encryption
9.2.4	Format-preserving encryption
9.2.5	Homomorphic encryption
9.2.6	Homomorphic secret sharing
9.3	Suppression techniques
9.3.1	General
9.3.2	Masking
9.3.3	Local suppression
9.3.4	Record suppression
9.4	Pseudonymization techniques
9.4.1	General
9.4.2	Selection of attributes
9.4.3	Creation of pseudonyms
9.4.3.1	General
9.4.3.2	Pseudonyms independent of identifying attributes
9.4.3.3	Pseudonyms derived from identifying attributes using cryptography
9.4.3.3.1	Overview of cryptography use for pseudonymization
9.4.3.3.2	Encryption
9.4.3.3.3	Hashing
9.5	Anatomization
9.6	Generalization techniques
9.6.1	General
9.6.2	Rounding

9.6.3	Top and bottom coding
9.6.4	Combining a set of attributes into a single attribute
9.6.5	Local generalization
9.7	Randomization techniques
9.7.1	General
9.7.2	Noise addition
9.7.3	Permutation
9.7.4	Microaggregation
9.8	Synthetic data
10	Formal privacy measurement models
10.1	General
10.2	K-anonymity model
10.2.1	General
10.2.2	L-diversity
10.2.3	T-closeness
10.3	Differential privacy model
10.3.1	General
10.3.2	Server model
10.3.3	Local model
10.3.4	Key considerations for a Differentially Private System
10.3.4.1	Probability distribution
10.3.4.2	Sensitivity
10.3.4.3	Privacy budget, ϵ
10.3.4.4	Cumulative privacy loss
10.4	Linear sensitivity model
10.4.1	General
10.4.2	Threshold rule
10.4.3	Dominance rule
10.4.4	Ambiguity rule
11	General principles for application of de-identification techniques
11.1	General
11.2	Sampling considerations
11.3	Aggregated vs. microdata
11.4	Classification of attributes
11.5	Handling of direct identifiers
11.6	Handling of remaining attributes
11.7	Privacy guarantee models
12	Additional technical or organizational measures
12.1	General
12.2	Data flow scenarios
12.3	Access to de-identified data
12.4	Controlled re-identification
Annex A (informative) Summary of de-identification tools and techniques	
Annex B (informative) Prior art terminology	
B.1	General
B.2	Definitions of individual terms
B.3	Relationship to ISO/IEC 19944
B.4	Relationship to Statistical Disclosure Control terminology
Annex C (informative) De-identification of free-form text	
C.1	General
C.2	Annotating
C.3	Conversion of data to the form of a table
C.4	Scrubbing
C.5	Segmentation
C.6	Aggregation
Annex D (informative) Normalization of structured data	

Annex E (informative) Overview of approaches to formal privacy measurement models

- E.1 General**
- E.2 Record linkage**
 - E.2.1 General**
 - E.2.2 (X,Y)-anonymity**
 - E.2.3 Multirelational K-anonymity**
- E.3 Attribute linkage**
 - E.3.1 General**
 - E.3.2 Confidence bounding**
 - E.3.3 (X,Y)-privacy**
 - E.3.4 (a,k)-anonymity**
 - E.3.5 (k,e)-anonymity**
 - E.3.6 Personalized privacy**
 - E.3.7 FF-anonymity**
 - E.3.8 m-invariance**
- E.4 Table linkage**
 - E.4.1 General**
 - E.4.2 Delta-presence**
- E.5 Probabilistic attacks**
 - E.5.1 General**
 - E.5.2 (d,y)-privacy**
- E.6 Variants of differential privacy**
 - E.6.1 General**
 - E.6.2 Approximate differential privacy**
 - E.6.3 Random differential privacy**
 - E.6.4 Probabilistic differential privacy**
 - E.6.5 Concentrated differential privacy**
 - E.6.6 Approximate concentrated differential privacy**
 - E.6.7 Multiparty differential privacy**
 - E.6.8 Computational differential privacy**
- E.7 Variants of L-diversity**

Page count: 46